

## Monthly pH Results

2023		Garland (Trtd)			Garland (Raw)			Cedar Run			Bailey Brook			800 Ocn Blvd.			795B Wash			795A Wash			60 Sagamore			333 West			
Month	Date	pH	Free mg/L	Temp.	pH	Free mg/L	Temp.	pH	Free mg/L	Temp.	pH	Free mg/L	Temp.	pH	Free mg/L	Temp.	pH	Free mg/L	Temp.	pH	Free mg/L	Temp.	pH	Free mg/L	Temp.	pH	Free mg/L	Temp.	pH
Jan	26	7.18		51.5°	6.69		51.8°	7.5		49.1°	7.63		49.7°	7.37		48.1°	7.41		51.0°	7.43		49.8	7.76		48.5°	7.3		45.2°	7.32
Feb	23	7.25		45.9°	6.75		46.8°	7.51		48.3°	7.56		43.2°	7.23		39°	7.22		41.7°	7.21		41.6°	N/A	N/A	N/A	7.28		36.2°	7.27
Mar	27	7.28	1.15	52.1°	6.6	N/A	53.2°	6.86	N/A	54.6°	7.51	1.45	54.0°	7.4	0.5	50.4°	7.32	0.1	50.4°	7.39	1.15	49.2°	7.47	0.25	49.1°	7.36	0.7	48.5°	7.36
Apr	28	7.5	0.91	50.0°	6.7	N/A	50.0°	6.9	N/A	50.0°	7.8	0.01	50.0°	7.5	0.69	40.0°	7.6	0.46	48.0°	7.5	1.31	50.0°	7.6	0.92	41.0°	7.5	0.68	50.4°	7.6
May	25	7.5	0.97	53.0°	6.7	N/A	53.0°	6.8	N/A	45.0°	7.5	N/A	40.0°	7.6	0.71	55.0°	7.6	0.64	50.0°	7.8	1.43	45.0°	7.7	0.33	42.0°	7.7	0.75	53.0°	7.7
Jun	7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7.7	0.65	53.0°	7.6	0.51	60.0°	7.6	1.2	53.0°	7.7	0.18	41.0°	7.6	0.85	65.0°	7.6
Jul	3	6.8	1.97	53.0°	7	N/A	53.0°	7	N/A	45.0°	7.6	N/A	44.0°	7.5	0.44	57.0°	7.7	0.29	64.0°	7.8	2.2	54.0°	7.8	0.02	51.0°	7.6	0.46	65.0°	7.8
Aug	29	7.29	1.51	56.0°	6.8	N/A	57.0°	7.00	N/A	39.0°	7.7	N/A	39.0°	7.6	0.35	66.0°	7.6	0.34	60.0°	7.7	1.6	55.0°	7.7	T	56.0°	7.6	0.43	66.0°	7.8
Sep	26	7.7	1.65	56.0°	6.2	N/A	57.0°	7.3	N/A	54.0°	7.4	N/A	54.0°	7.7	1.37	56.0°	7.9	1.39	63.0°	7.9	2.2	59.0°	8	0.25	58.0°	7.5	1.41	65.0°	7.9
Oct	31	7.3	N/A	56.0°	6.5	N/A	56.0°	7.2	N/A	33.0°	7.3	N/A	40.0°	7.8	0.96	44.0°	7.7	0.99	50.0°	8	1.84	52.0°	8	0.22	53.0°	8.1	0.85	54.0°	7.9
Nov	29	7.4	N/A	54.0°	6.5	N/A	54.0°	7.4	N/A	42.0°	7.9	N/A	42.0°	7.8	0.23	36.0°	7.8	0.47	47.0°	7.9	0.58	50.0°	7.9	0.17	42.0°	7.7	0.22	50.0°	7.7
Dec	29							6.9	N/A	40.0°	7.6	N/A	40.0°	7.6	0.28	39.0°	7.6	0.22	36.0°	7.5	0.34	47.0°	7.6	T	43.0°	7.7	0.24	38.0°	7.8