

Detailed Service Line Inventory - 2025

PWS Name: Rye Water District
PWSID: 2041010

Purpose of this worksheet: To provide a format water systems can use to track materials for each service line in their distribution system.

General Instructions: Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRI.

Location Information				System-Owned Portion	Customer-Owned Portion	Entire Service Line Material Classification	Non-lead Validation		
Location Identifier				System-Owned Portion Service Line Material Classification	Customer-Owned Portion Service Line Material Classification		System-Owned Non-lead Validation	Customer-Owned Non-lead Validation	Overall Non-lead Validation Side
House No.	Street Name	City or Town	Other Location Identifier						
10	ACORN ACRES	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
11	ACORN ACRES	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	No Validation Required	No Validation Required	No Validation Required
12	ACORN ACRES	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
13	ACORN ACRES	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
18	ACORN ACRES	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
21	ACORN ACRES	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	No Validation Required	No Validation Required	No Validation Required
25	ACORN ACRES	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
30	ACORN ACRES	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
6	ACORN ACRES	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
7	ACORN ACRES	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
8	ACORN ACRES	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
9	ACORN ACRES	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
11	AIRFIELD DR	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
11	AIRFIELD DR	Rye	3-6	Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
11	AIRFIELD DR	Rye	1-2	Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
11	AIRFIELD DR	Rye	7-10	Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
11	AIRFIELD DR	Rye	11-14	Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
11	AIRFIELD DR	Rye	15-18	Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
11	AIRFIELD DR	Rye	19-22	Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
11	AIRFIELD DR	Rye	0	Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
2	AIRFIELD DR	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
6	AIRFIELD DR	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	No Validation Required	No Validation Required	No Validation Required
6	AIRFIELD DR	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	No Validation Required	No Validation Required	No Validation Required
2	ALAN CT	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
4	ALAN CT	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
104	ALEHSON ST	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
107	ALEHSON ST	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
11	ALEHSON ST	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	No Validation Required	No Validation Required	No Validation Required
112	ALEHSON ST	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	No Validation Required	No Validation Required	No Validation Required
115	ALEHSON ST	Rye		Non-Lead - Other	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
120	ALEHSON ST	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
16	ALEHSON ST	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	No Validation Required	No Validation Required	No Validation Required
19	ALEHSON ST	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
24	ALEHSON ST	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	No Validation Required	No Validation Required	No Validation Required
27	ALEHSON ST	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
35	ALEHSON ST	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
40	ALEHSON ST	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	No Validation Required	No Validation Required	No Validation Required
43	ALEHSON ST	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	Validation Required	Validation Required	Both
48	ALEHSON ST	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
51	ALEHSON ST	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	No Validation Required	No Validation Required	No Validation Required
56	ALEHSON ST	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
63	ALEHSON ST	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
64	ALEHSON ST	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	Validation Required	Validation Required	Both
75	ALEHSON ST	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
80	ALEHSON ST	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
83	ALEHSON ST	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	Validation Required	Validation Required	Both
88	ALEHSON ST	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	Validation Required	Validation Required	Both
91	ALEHSON ST	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
96	ALEHSON ST	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	Validation Required	Validation Required	Both
99	ALEHSON ST	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	No Validation Required	No Validation Required	No Validation Required
10	APPLEDORE AVE	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	Validation Required	Validation Required	Both

[illegible]

[illegible]

[illegible]

Location Information				System-Owned Portion	Customer-Owned Portion	Entire Service Line Material Classification	Non-lead Validation		
Location Identifier				System-Owned Portion Service Line Material Classification	Customer-Owned Portion Service Line Material Classification		System-Owned Non-lead Validation	Customer-Owned Non-lead Validation	Overall Non-lead Validation Side
House No.	Street Name	City or Town	Other Location Identifier						
17	CLARK RD	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	Validation Required	Validation Required	Both
64	CLARK RD	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
65	CLARK RD	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
70	CLARK RD	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	No Validation Required	No Validation Required	No Validation Required
75	CLARK RD	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	Validation Required	Validation Required	Both
86	CLARK RD	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
89	CLARK RD	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
92	CLARK RD	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
93	CLARK RD	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	Validation Required	Validation Required	Both
95	CLARK RD	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
36	COLBOURN RD	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
39	COLBOURN RD	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
50	COLBOURN RD	Rye		Non-Lead - Copper	Non-Lead - Plastic	Non-lead	No Validation Required	No Validation Required	No Validation Required
70	COLBOURN RD	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
75	COLBOURN RD	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
90	COLBOURN RD	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
10	COLE NOYES AVE	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
14	COLE NOYES AVE	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
18	COLE NOYES AVE	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
7	COLE NOYES AVE	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
12	CONCORD POINT RD	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
18	CONCORD POINT RD	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
24	CONCORD POINT RD	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
30	CONCORD POINT RD	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	Validation Required	Validation Required	Both
31	CONCORD POINT RD	Rye	Seasonal service	Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
36	CONCORD POINT RD	Rye	Seasonal service	Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
42	CONCORD POINT RD	Rye	Seasonal service	Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
15	CONSTITUTION CIR	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
7	CONSTITUTION CIR	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
60	CONTRACTOR AVE	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	Validation Required	Validation Required	Both
3	DAVIS RD	Rye		Non-Lead - Copper	Non-Lead - Plastic	Non-lead	Validation Required	Validation Required	Both
12	DOW LN	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	Validation Required	Validation Required	Both
15	DOW LN	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	Validation Required	Validation Required	Both
16	DOW LN	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
20	DOW LN	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
21	DOW LN	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
25	DOW LN	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	Validation Required	Validation Required	Both
27	DOW LN	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
31	DOW LN	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
32	DOW LN	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
35	DOW LN	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
39	DOW LN	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
40	DOW LN	Rye	Serves 40 & 42 Dow Ln.	Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
48	DOW LN	Rye	Serves 48 & 50 Dow Ln.	Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
56	DOW LN	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
6	DOW LN	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
9	DOW LN	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	Validation Required	Validation Required	Both
0	DOW LN & LAFAYETTE RD	Rye	NHDOT District 6	Non-Lead - Copper	Non-Lead - Plastic	Non-lead	Validation Required	Validation Required	Both
10	EAGLE ROCK RD	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
0	ELIZABETH LN	Rye	mercial Irrigation, seasonal ser	Non-Lead - Other	Non-Lead - Other	Non-lead	No Validation Required	No Validation Required	No Validation Required
1	ELIZABETH LN	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
3	ELIZABETH LN	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
4	ELIZABETH LN	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
5	ELIZABETH LN	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
7	ELIZABETH LN	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
8	ELIZABETH LN	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
9	ELIZABETH LN	Rye	Seasonal service	Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
0	FRANCE METER PITIRRI	Rye	rrigation Meter Pit, seasonal se	Non-Lead - Copper	Non-Lead - Copper	Non-lead	No Validation Required	No Validation Required	No Validation Required
11	FAIRHILL AVE	Rye		Non-Lead - Copper	Non-Lead - Plastic	Non-lead	No Validation Required	No Validation Required	No Validation Required
14	FAIRHILL AVE	Rye	Seasonal service	Non-Lead - Copper	Non-Lead - Plastic	Non-lead	No Validation Required	No Validation Required	No Validation Required
17	FAIRHILL AVE	Rye	Seasonal service	Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both
20	FAIRHILL AVE	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	Validation Required	Validation Required	Both
24	FAIRHILL AVE	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	No Validation Required	No Validation Required	No Validation Required
31	FAIRHILL AVE	Rye		Non-Lead - Other	Non-Lead - Other	Non-lead	Validation Required	Validation Required	Both
32	FAIRHILL AVE	Rye		Non-Lead - Copper	Non-Lead - Copper	Non-lead	Validation Required	Validation Required	Both

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]